



Deccan
BioLife[®]

Boost Your Livestock's
Health, Growth & Productivity
with **Deccan Biolife!**



www.deccanbiolife.com

Pioneering Health Solutions for Poultry & Livestock

At Deccan Biolife, we specialize in producing high-quality antibiotics and probiotics tailored for poultry and livestock. Our product range includes water-soluble powders, feed premix powders, and feed premix granules, designed to enhance the health and well-being of your animals.

Our Commitment to Safety

All our products are AMR-free (Anti-Microbial Resistance), ensuring safe and sustainable solutions for your livestock. By being AMR-free, our products help in preventing bacterial infections without contributing to the growing global issue of antimicrobial resistance.

Why Choose Deccan Biolife?

Infection Control : Effectively treats and prevents bacterial infections in animals.

Enhanced Growth : Promotes better health, ensuring improved productivity and growth.

Product Diversity : Available in various forms to meet different application needs, whether it's water-soluble, premix powder, or granules.

Our Vision

Our vision is to improve poultry health and promote sustainability through a commitment to innovation, exceptional quality, and outstanding customer satisfaction.

DBL Feed Premix Powder

DBL Feed Premix Powder is a concentrated blend of vitamins, minerals, amino acids, and other essential nutrients added to poultry feed in precise amounts. This premix ensures that birds receive the necessary nutrients for optimal growth, health, and productivity. The formulation is tailored to meet the specific nutritional needs of poultry at various life stages and production phases, including chicks, layers, and broilers.

DBL Feed Granules

DBL Feed Granules are nutrient-rich, easy-to-digest particles added to poultry feed to ensure consistent intake of essential vitamins, minerals, and proteins. They promote better growth, health, and productivity while reducing feed wastage. Tailored for different life stages, DBL Feed Granules offer an efficient and cost-effective solution for poultry nutrition.

DBL Water Soluble Powder

DBL Water Soluble Powder is a formulation that dissolves easily in water and is typically added to the drinking water of poultry. These additives may include vitamins, minerals, electrolytes, probiotics, enzymes, and other nutritional supplements. By providing essential nutrients through their water, DBL Water Soluble Powder plays a crucial role in supporting the health, performance, and well-being of poultry.



| DECCAN-GENTA

Gentamicin 10% is a broad-spectrum antibiotic from the Aminoglycoside class, widely used to treat various bacterial infections in poultry and livestock. It is highly effective against a broad range of bacteria. Each gram of Deccan-Genta contains gentamicin, equivalent to 100 mg of gentamicin base, ensuring potent and reliable treatment for infections.

TYPES

Deccan-Genta available in both Feed Premix Powder & Water Soluble Powder.

BENEFITS

Deccan-Genta is recommended for the control and treatment of gastrointestinal and respiratory infections caused by microorganisms sensitive to gentamicin like Bordetella, Campylobacter, Chlamydia, E.coli, Klebsiella, Haemophilus, Mycoplasma, Pasteurella, Rickettsia, Salmonella, Staphylococcus and Streptococcus spp. in Poultry.

DOSAGE

- Add 1 kg per 1 ton of feed.
- Add 1 kg per 1000 litre of drinking water for 3-5 days.
- Usage Recommends as advised by a Veterinary Consultant.

| DECCAN-BMD

Bacitracin Methylene Disalicylate 10% is an antibacterial polypeptide by the growth of a gram-positive, spore-forming organism belonging to the licheniformin group of Bacillus subtilis, which acts by interfering with bacterial cell wall synthesis.

TYPES

Deccan-BMD available in both Feed Premix Powder & Water Soluble Powder.

BENEFITS

Deccan-BMD the convenient, cost-effective and vestige antibacterial feed additive for poultry, cross cleared with all major feed medications. It is also highly effective against C.perfringens, cause of necrotic enteritis. Indications are Necrotic enteritis, Clostridium, Stroptococcus and other gram positive and gram negative organisms.

DOSAGE

- Prevention - Add 250gm per 1 ton of feed.
- Control of disease - Add 500gm per 1 ton of feed.
- Usage Recommends as advised by a Veterinary Consultant.



DECCAN-STIN

Deccan-STIN (Colistin Sulphate) 10% is an antibiotic that is used to treat various bacterial infections, particularly those caused by Gram-negative bacteria. It is considered an antibiotic of last resort and is often reserved for the treatment of infections that are resistant to other antibiotics.

BENEFITS

For treatment of gastrointestinal infections caused by colistin sensitive bacteria, like E.Coli, Haemophiles and Salmonella and to prevent bacterial diarrhea.

TYPES

Deccan-STIN available in both Feed Premix Powder & Water Soluble Powder.

DOSAGE

- Orally via drinking water or feed.
- Poultry - Add 1 to 5gms per 10 liters of drinking water for 3-5 days.
- For Prevention - Add 50 to 100gms per 1 ton of feed.
- During Infection - Add 200gms per 1 ton of feed.
- Usage Recommends as advised by a Veterinary Consultant.

DECCAN-TYT

Deccan-TYT (Tylvalosin Tartrate) 10% is rapidly absorbed and concentrates in the target tissues. It is highly effective against mycoplasma and other life threatening and economically significant bacterial diseases by way of inhibition of protein synthesis in the bacterial cell.

TYPES

Deccan TYT available in both Feed Premix Powder & Water Soluble Powder.

BENEFITS

Deccan-TYT is effective against both respiratory and enteric diseases, and so can be used in strategic prevention programmes. It has been shown to increase the metabolism of macrophages and provide an increased level of activity in these cells and there are no known interactions with other products, and it can be used alongside other medications, vitamins, and minerals. The high palatability of Tylvalosin Tartrate encourages the consumption of the medicated feed.

DOSAGE

- Broilers/ Breeders/ Layers - Add 250 to 500gms per 1 ton of feed.
- Usage Recommends as advised by a Veterinary Consultant.



I DECCAN-VSIN

Virginiamycin 10% is a streptogramin antibiotic similar to pristinamycin and quinupristin/dalfopristin. It is a combination of pristinamycin IIA & virginiamycin S1.

TYPES

Deccan-VSIN available in both Feed Premix Powder & Water Soluble Powder.

BENEFITS

Deccan-VSIN is a feed medication for broiler and swine feeds, containing the antibiotic virginiamycin. Virginiamycin enables broilers and swine to reach market weight sooner and on less feed, which means efficient and profitable production. Increases rate of weight gain, Improves feed efficiency. Prevents necrotic enteritis in any weight of broiler chicken. No residue problems in meat with Good feed mixability.

DOSAGE

- Broilers - Add 100gms per 1 ton of feed.
- Usage Recommends as advised by a Veterinary Consultant.

I DECCAN-TYC

Tylosin Phosphate 10% is a macrolide antibiotic that is commonly used in veterinary medicine to treat various bacterial infections in animals.

TYPES

Deccan-TYC available in both Feed Premix Powder & Water Soluble Powder.

BENEFITS

Deccan-TYC is primarily for use in the chronic respiratory disease complex in chickens and infectious sinusitis in turkeys. (For Veterinary use only) which is pardesaily used in chronic respiratory diseases (CRD), pneumonia, pleuritis, pasteurellosis, enteritis, gastroenteritis, salmonellosis, and diarrhea of piglets, metritis and mastitis.

DOSAGE

- Broilers - 0 to 3rd days of chicks life - 8gms per day 21st/22nd/23rd day-140gms for one day 9th week - 180gms for one day 16th week - 200gms for one day Further as per body weight as 75mg/kg body weight.
- Layers - 0 to 3rd days of chick life - 8gms per day 21st/22nd/23rd day - 28gms for one day 9th week - 110gms for one day 16th week - 171gms for one day Further as per body weight as 75mg/kg body weight.
- Breeders - 0 to 3rd days of chicks life - 8gms per day 21st/22nd/23rd day - 40gms for one day 9th week - 60gms for three days 16th week - 70gms for three days Further as per body weight as 75mg/kg body weight.

I DECCAN-DOXY

Doxycycline 10% is a broad-spectrum antibiotic from the tetracycline class and is used to treat a variety of bacterial infections in animals.

TYPES

Deccan-Doxy available in both Feed Premix Powder & Water Soluble Powder.

BENEFITS

Deccan-Doxy is used for Treatment of mixed infections specially complicated CRD, Nonspecific diarrhoeas, Blue Comb, Mud Fever, Fowl Cholera, Coli-septicemia, Pullorum disease, infectious synovitis. Secondary bacterial infections caused by gram positive and gram negative bacteria & to prevent early chick mortality. Potent curative supplement for treatment of mixed infection like C.R.D. with E.Coli & effective against all gram positive and negative organisms.

DOSAGE

- Regular Use - Add 250gms per 1 ton of feed as a growth promoter.
- Risk periods along with specific treatment products - Add 500gms per 1 ton of feed.
- Usage Recommends as advised by a Veterinary Consultant.

I DECCAN-ERAC

Enramycin 10% is a polypeptide antibiotic developed as a feed additive and produced by Streptomyces fungicidus. This antibiotic has a strong antibacterial activity against Gram positive bacteria and inhibits the development of major pathogens of the gut flora.

TYPES

Deccan-ERAC available in both Feed Premix Powder & Water Soluble Powder.

BENEFITS

Deccan-ERAC will be enhances growth FCT at very low inclusion levels with Strong antibacterial properties primarily against Gram-positive bacteria such as clostridium prefringens, which causes necrotic enteritis and retarded growth in Chickens. No-Cross - resistance between Active-EN and other antibiotics. No detectable residue in tissues & reduces wet droppings in poultry. Improves Flock intestinal Health, Resulting in better feed efficiency.

DOSAGE

- Broilers/Breeders/ Layers - Add 90gms per 1 ton of feed.
- Usage Recommends as advised by a Veterinary Consultant.



I DECCAN-FOX

Fosphomycin 10% is an antibiotic that is used to treat bacterial infections. It is available in various formulations and concentrations, Fosphomycin is known for its broad-spectrum antibacterial activity and is used to treat a variety of bacterial infections in animals.

TYPES

Deccan-Fox available in both Feed Premix Powder & Water Soluble Powder.

BENEFITS

Deccan-Fox is recommended for the control and treatment of necrotic enteritis and Increased rate of weight gain and improved feed efficiency in poultry.

DOSAGE

- Broilers - Add 100-150gms per 1 ton of feed.
- Layers - Add 100gms per 1 ton of feed.
- Calves - Add 100-250gms per 1 ton of feed.
- Fish and Shrimp - Add 150-250gms per 1 ton of feed.
- Usage Recommends as advised by a Veterinary Consultant.

I DECCAN-LYNCE

Lincomycin 10% is an antibiotic that belongs to the lincosamide class of antibiotics. It is used in veterinary medicine to treat various bacterial infections.

TYPES

Deccan-Lynce available in both Feed Premix Powder & Water Soluble Powder.

BENEFITS

Deccan-Lynce is dependable control can help lower mortalities. Lincomycin is readily absorbed for excellent distribution. Premix formulation maintains control and fits into any feeding program. Lincomycin can help prevent the spread of bacterial infections within a poultry. Healthy birds tend to grow more efficiently and produce higher-quality meat and eggs.

DOSAGE

- Broilers - Add 60 to 100gms per 1 ton of feed.
- Usage Recommends as advised by a Veterinary Consultant.



I DECCAN-SOLI

Salinomycin sodium 10% is a chemical compound that is used primarily as an antibiotic and coccidiostat (a substance that prevents and treats infections caused by coccidian parasites) in the veterinary industry. It is commonly used to control diseases.

TYPES

Deccan-Soli available in both Feed Premix Powder & Water Soluble Powder.

BENEFITS

- Prevention and treatment of E.coli in chicken broiler and rearing stock caused by eimeria - Eiteria tenella, E. acevulina, E.maxima, E.mitis, E.necatrix.
- Best option in shuttle program & Works well in all seasons.
- Microgranulated product

DOSAGE

- Chickens for fattening - Add 500gms per 1 ton of feed.
- Chickens reared for laying (Upto 12 weeks of age) -Add 500gms per 1 ton of feed.
- Usage Recommends as advised by a Veterinary Consultant.

I DECCAN-TAN

Tiamulin 10% is a veterinary antibiotic that belongs to the pleuromutilin class of antibiotics. It is used primarily in veterinary medicine to treat bacterial infections.

TYPES

Deccan-TAN available in both Feed Premix Powder & Water Soluble Powder.

BENEFITS

Deccan-TAN is effective against mycoplasma and bacterial infections. Quick absorption Maintains High Therapeutic Level for a 24 hours period. Penetrate the Target Tissue Very Effectively. Hips in improving Feed Conversion efficiency. Controls morbidity and mortality due to CRD. It can help reduce mortality rates in poultry. Some bacterial infections in poultry can become chronic and persist over time & It can be used to manage and control these chronic infections.

DOSAGE

- Broilers/ Breeders/ Layers - Add 500gms per 1 Ton of Feed.
- Usage Recommends as advised by a Veterinary Consultant.



I DECCAN-MON

Monensin 10% is a natural broad spectrum antibiotic of tetracycline group. Monensin is a carboxylic polyeter ionophore used as feed additive to control Coccidiosis in poultry.

TYPES

Deccan-MON available in both Feed Premix Powder & Water Soluble Powder.

BENEFITS

Deccan-MON is a powerful ionophore to prevent Coccidiosis recommended for rotations during monsoons and winters, Preventing Coccidiosis to help improve performance and protect Intestinal Integrity & Instead of fighting diseases, the bird's body can direct nutrients toward growth and this helps birds get through the critical stages when they are most vulnerable to Coccidiosis and also Provides better weight gain & Provides better feed conversion.

DOSAGE

- Add 500gms per 1 ton of feed.
- Usage Recommends as advised by a Veterinary Consultant.

I DECCAN-NSHPE

Nosheptide 10% is a broad-spectrum antibiotic is often used to treat bacterial infections. It peptides on growth performance, blood parameters, immune organ index, and cecum microbial diversity.

TYPES

Deccan-NSHPE available in both Feed Premix Powder & Water Soluble Powder.

BENEFITS

Deccan-NSHPE is extremely effective against Gram-positive bacteria and a few Gram-negative bacteria, particularly Clostridium perfringens. It can inhibit protein synthesis in bacteria, suppress the growth of harmful bacteria, and maintain proper intestine absorption, thereby promoting animal growth performance and improving feed efficiency. It also has a unique effect on necrotic enteritis and diarrhea.

DOSAGE

- For Broilers and Layers - Add 200 to 250gms per 1 ton of feed.
- For Pigs - Add 250 to 500gms per 1 ton of feed.
- For Fish and Shrimp - Add 50 to 200gms per 1 ton of feed.
- Usage Recommends as advised by a Veterinary Consultant.



I DECCAN-MADUMAX

Maduramycin 1% is a monovalent mono glycoside polyether ionophore which consist of 90% ammonium salt that is a fermentation product of Actinomadura yumaense.

TYPES

Deccan-Madumax available in both Feed Premix Powder & Water Soluble Powder.

BENEFITS

Deccan-Madumax is best preventor of coccidiosis and more potent than other coccidiostats and Very safe & effective for all sps of Coccidia. Compatible with all kinds of chemicals, antibiotics antimycoplasmals commonly used in poultry. Eliminates all stages of Coccidia, Sporozoites, Trophozoites & Schizonts & Gives maximum protection against coccidia and Very safe compare to other Ionophore compounds.

DOSAGE

- Add 500gms per 1 ton of feed 1st day to 14 weeks.
- Usage Recommends as advised by a Veterinary Consultant.

I DECCAN-OTC

Oxytetracycline 10% is a broad-spectrum antibiotic from the tetracycline class, and it is used to treat a wide range of bacterial infections in animals.

TYPES


Deccan-OTC available in both Feed Premix Powder & Water Soluble Powder.

BENEFITS

Deccan-OTC Antibiotic treatment for chickens, turkeys and swine. It can significantly reduce mortality rates in poultry flocks by treating and preventing bacterial diseases that can be fatal. It can help control and treat these infections, reducing respiratory distress and mortality rates among birds. It can be used to treat a variety of bacterial infections in poultry, including respiratory, enteric, and skin infections.

DOSAGE

- Add 250gms per 1 ton of feed during 3-7 days.
- Layers/Broilers - Add 500gms per 1 ton of feed.
- Breeders - Add 500gms to 700gms per 1 ton of feed.
- Usage Recommends as a advised by a Veterinary Consultant.



I DECCAN-Avil

Avilamycin 10% is an antibiotic that belongs to a class of drugs known as pleuromutilins. It is primarily used in animal medicine to treat bacterial infections in food-producing animals. Avilamycin works by inhibiting bacterial protein synthesis.

TYPES

Deccan-Avil available in both Feed Premix Powder & Water Soluble Powder.

BENEFITS

Deccan-Avil is degrades easily, little pollution to the environment and Improves glucose absorption in the intestines of chicken. Promotes growth by increasing the production of volatile fatty acids and reducing the production of lactic acid. Controls the occurrence of diarrhea.

DOSAGE

- Add 100 to 150gms per 1 ton of feed.
- Usage Recommends as advised by a Veterinary Consultant.

I DECCAN-CTC MAX

Chlortetracycline 15% is a natural broad spectrum antibiotic of tetracycline group. Its pharmacokinetics, therapeutic uses, and adverse effects are similar to most other tetracyclines.

TYPES


Deccan-CTC Max available in both Feed Premix Powder & Water Soluble Powder.

BENEFITS

Deccan-CTC Max is a growth promoter, prevention of stress, improvement in performance - Egg production & weight gain and general health improvement. Broad spectrum activity, effective action against Fowl Cholera, CRD, non specific diarrhea and secondary bacterial infections. Powder increases the stability of feed at normal room temperature, both in mesh and pellets "Free flowing characteristic make it homogeneous. Impirical therapy mixed infections. Improves Egg Production and Hatchability in the breeder birds. Rocky Mountain Spotted Fever, All forms of typhus and fever.

DOSAGE

- Breeders - Add 500gms per 1 ton of feed.
- Chicks/Grower - Add 350gms per 1 ton of feed.
- Broilers/ Layers - Add 350gms to 500gms per 1 ton of feed.
- Usage Recommends as advised by a Veterinary Consultant.





Deccan Biolife is the INDIA's only 100% Bio product manufacturer in the animal health care industry, with a wide range of AMR (Anti Microbial Resistance) free products which are bio products and will help in the growth, health and production. Our vision is to enhance animal health and contribute to the sustainability with a strong emphasis on high quality, great innovation and best customer satisfaction.

Manufactured & Marketed by :

Deccan Biolife

Registered Office:

📍 3-1-640, Nimboliadda,
Kachiguda, Hyderabad- 27
Hyderabad, Telangana- 500027.

Branch Office:

📍 Shop No.32, Chirag Residency, Near Dayanand College,
Raviwarpeth, Solapur, Maharashtra-413002.

☎ +91 90001 26600

✉ info@deccanbiolife.com

www.deccanbiolife.com

